

## IV-AS Appropriation Symbol Table

The Appropriation Symbol (AS) Table allows a department to define the level of organizational, programmatic or object classification of each SCO appropriation account or other account (e.g., Revenue, 44 FTF Account, etc.). A unique three-digit (alpha-numeric) Appropriation Symbol is established for each State Controller's Office (SCO) account. The information maintained in the AS Table relieves the department from coding all of the appropriation data on every input transaction. Instead, the data is stored and appended to financial transactions and reports, as necessary.

### STRUCTURE

The AS Table is divided into two segments: the control key and informational elements. The control key identifies each Appropriation Symbol record and contains the Organization Code, Funding Fiscal Year and Appropriation Symbol.

The Organization Code identifies the agency. The Funding Fiscal Year and Appropriation Symbol are assigned by the department.

The informational elements segment contains the Title and the following:

- ✦ Classification data elements for program or category accounting.
- ✦ SCO account information.
- ✦ Indicators that define the type and level of appropriation and allotment control.

The coding requirements for all of the informational elements are defined in Exhibit IV-AS-3.

### RELATIONSHIP TO OTHER TABLES

During AS Table maintenance, the Reference and Program Hierarchy (Program, Element, Component, Task) are validated against the Reference and Program Hierarchy Descriptor Tables.

The AS Table establishes the *minimum* program coding needed in the Program Cost Account (PCA) Table. The program-coding in the **PCA Table can have more** detail (at a lower level) than the AS Table, but **should never have less** detail than the AS Table.

## GUIDELINES FOR ESTABLISHING APPROPRIATION SYMBOLS

This section provides basic guidelines for establishing Appropriation Symbols in the AS Table. Coding instructions are displayed in Exhibit IV-AS-3.

The AS Table structure aligns CALSTARS accounts with the account structure used by the SCO. Accounts established in CALSTARS should match the corresponding SCO accounts displayed on the SCO Agency Reconciliation Report (FC-320-01-P). The CALSTARS reconciliation reports can be used more effectively if the CALSTARS and SCO accounts match.

### Program Appropriations

If appropriations are assigned by program, an Appropriation Symbol is normally established for each scheduled program item of the appropriation. A separate Appropriation Symbol must be established for **each D, F, and T** account (SCO account type on the SCO Agency Reconciliation Report). The same Appropriation Symbol number can be established for the same Fund and Reference combination if the fiscal year is different.

**NOTE:** Do not establish an AS Table record **for reimbursable program expenditures**. These are accounted as Fund Source **R** expenditure (by the PCA) in the appropriation item.

Do not establish an AS Table record for any SCO control ('C') account. The B03 Report already provides this appropriation summary.

### Category Expenditure Appropriations

Establish one Appropriation Symbol number for both of the line items 'Personal Services' **and** 'Operating Expenses and Equipment' within the 'For support of' item. Set the AS Table Appropriation Object Level Indicator to **1=Category** and leave the Category field blank. This will establish separate appropriation file records by category type based on the Object Detail used in **every disbursement transaction**.

If automated claim schedules are prepared using the Category Appropriation Symbol, a **1** or **3** will be printed in the Category field on the claim schedule face sheet. A **0** (zero) must be manually added after Category **1** or **3** to match the numbering convention on the SCO Agency Reconciliation Report.

### 'Amount payable from...' and 'for payment to...'

For program appropriations, the 'amount payable from' and 'for payment to' items must be removed through one or more budget revisions at the beginning of the Fiscal Year. (See the Budget Letter for BR-1.) Do not establish AS Table entries for these items.

For category appropriations, the 'amount payable from' and 'for payment to' items are not removed through BR-1. Establish separate AS Tables and PCAs for every

funding source ('Amount payable from') within the main appropriation item and fund (to track expenditures/fund usage), and separate AS Table records and a PCA for each ('for payment to') item that will make fund transfers out.

### **Clearing Account**

It is recommended that all agencies assign Appropriation Symbol number **900** to their Clearing Account item. The Clearing Account AS record should not specify programmatic or category levels.

### **Reappropriations**

When an appropriation is reappropriated in total, the SCO maintains the same account(s) and merely extends the "spending" period of the appropriation. This type of reappropriation is commonly referred to as an 'Extension'.

When only part of an appropriation is reappropriated, the SCO establishes a new account(s) for the partial amount and maintains the original account(s) with the remaining balance available for liquidating prior year accruals. This type of reappropriation is commonly referred to as a 'Partial Reappropriation'.

The accounting requirements for these two types of reappropriations are very different. The following describes the differences in the AS Table.

Reappropriation items are grouped in the Budget Act by organization and reference. The reference number used (e.g., **490**) is not a 'real' Reference (it is not in the Uniform Codes Manual). It is used only to segregate reappropriated items from new appropriations and **should never be used in CALSTARS**.

One or more reappropriations can be displayed under Reference **490**. Each reappropriated item will display the real appropriation identification and contain language which specifies whether all or a portion of the original item is reappropriated. The following describes the methods used by the SCO for determining whether an appropriation is partially or totally reappropriated.

1. Language which specifies that the 'unencumbered' or 'unexpended' balance is reappropriated denotes a partial reappropriation. The SCO will establish a new account(s) using the June 30 cash balance of the appropriation less accruals shown on a department's year-end statements.
2. Language which specifies that the 'unliquidated' balance is reappropriated denotes a total reappropriation. The SCO will extend the availability of the original appropriation and will not establish a new account(s).
3. Language which specifies a particular amount or states that the reappropriation shall not exceed a specific amount can result in either partial or total reappropriations as follows:
  - a. If the stated amount or 'not to exceed' amount is equal to or more than the June 30 cash balance less accruals, it is considered to be a total reappropriation.

- b. If the stated amount or 'not to exceed' amount is less than the June 30 cash balance less accruals, it is considered to be a partial reappropriation.
4. Language which specifies all of a scheduled line of an appropriation (e.g., the unliquidated balance of Program 10) denotes a total reappropriation. However, the SCO extends the period of availability for Program 10 only, and reverts the remaining scheduled lines of the appropriation according to the original period of availability.
5. Language which specifies a portion of a scheduled line of an appropriation (e.g., the unencumbered or unexpended balance of Program 10) denotes a partial reappropriation.
6. Language which specifies all of one scheduled line and a portion of another scheduled line (e.g., the unliquidated balance of Program 10 and the unencumbered or unexpended balance of Program 20) denotes a partial reappropriation. The SCO will establish new accounts for both Program 10 and 20 reappropriated amounts.

**Treatment of Extensions (Total Reappropriations):** Extends the liquidation period of an appropriation item in a subsequent Budget Act. No change to the amount of the appropriation. Change the Reversion Date and Reversion indicator in the original AS Table record. Do not change the Title, Enactment Year and Chapter in the AS Table.

**Treatment of Partial Reappropriations:** The SCO has established a numbering convention to specifically identify partial reappropriations. It requires the addition of the fiscal year of reappropriation to the appropriation reference number. For example, if a 2004-05 appropriation with the Reference **001** was partially reappropriated in the 2005-06 Budget Act, the reference number on the SCO records for the partial reappropriation would be **00105**. The Reference for the portion not reappropriated would remain **001**. Since the reference field in CALSTARS contains only three digits, it is necessary for agencies to manually append the 2-digit year to the reference number on claim schedules and plan of financial adjustment requests filed against partial reappropriations. The 5-digit reference number/enactment year is printed on various CALSTARS reports when Account Type on the AS Table is coded **PR**.

### **Reimbursements Receipt Accounts**

Establish a separate Appropriation Symbol for each appropriated reimbursement account within each fund/sub-fund. Agencies with only one appropriated reimbursement line should establish only one Appropriation Symbol. Otherwise, the B06 Report, Final Budget Report, will display more than one line of reimbursements.

**Note:** Do not commingle expenditures with reimbursement receipts within the same Appropriation Symbol account.

**Revenue Receipt Accounts**

Establish a separate Appropriation Symbol for revenue within each fund/sub-fund. It is not necessary to establish a separate Appropriation Symbol for each revenue account ('R' account) within a fund/sub-fund because the Receipt Source provides the required level of detail.

All agencies should use Reference **980** for all revenue accounts unless the SCO uses a different Reference on their Agency Reconciliation Report. Reference **980** does not print on the HB4, DB1, or D16 reports.

**Note:** Do not commingle expenditures with revenue receipts within the same Appropriation Symbol account.

Do not establish AS Tables for any SCO control ('Q') account. The B03 Report already provides this appropriation summary.

**Special Deposit Fund**

Each Special Deposit Fund account used for expenditure accounting must have at least one Appropriation Symbol and one PCA. Special Deposit Fund accounts used for other purposes, e.g., Unclaimed Trust Money, Tax Sheltered Annuities and Vacation Trust Accounts, may have a separate Appropriation Symbol and PCA according to the accounting needs of the department.

A separate Fund Detail must be established for each sub-fund account within the Special Deposit Fund. Each Fund Detail record must be supported by a D23 Descriptor Table entry with the correct posting indicators. Failure to correctly set these indicators may impact appropriation reporting and reconciliations.

**Note:** Do not commingle expenditures with revenue receipts within the same Appropriation Symbol account.

**Office Revolving Fund Advance**

The AS for the Office Revolving Fund Advance must be established in the advancing fund with Account Type **97** (post with Transaction Code 745 using this Appropriation Symbol).

**Continuing Appropriations**

Continuing appropriations are typically one of two types:

- 1) Appropriations that continue encumbrance and expenditure availability beyond the first year of availability (e.g., three years for Capital Outlay.)
- 2) Statutory appropriations that continue from year to year.

In accordance with Generally Accepted Accounting Principles (GAAP), expenditures are shown in the enactment year obligated or paid. Therefore, unencumbered balances and unliquidated encumbrances (not allocated encumbrances) from the 'A' run roll forward to the new Funding Fiscal Year. Exhibit IV-AS-1 and Exhibit IV-AS-2

display two examples of continuing appropriations with the appropriate year-end treatment of unencumbered balances and unliquidated encumbrances.

**SCO Account Segment**

This portion of the AS Table record is used for the automated reconciliation process (DB2 and H02 reports). The SCO Account Segment data is used to match CALSTARS accounts to their corresponding SCO Accounts. The SCO Agency Reconciliation Report contains the information needed to complete this portion of the AS Table.

A separate Appropriation Symbol must be established for each SCO detail account except revenue accounts and category appropriations. At least one AS is required for Revenue accounts within each fund. An additional Appropriation Symbol can be established if the Source used by SCO does not match the Source used in CALSTARS.

For category appropriations, establish one appropriation symbol and set the Appropriation Object Level indicator to the proper level. Leave the category fields in both the informational segment and the SCO Account segment blank. CALSTARS identifies the proper category by using the Object Detail from the transaction and appends a zero to match to the SCO two-digit category on CALSTARS reports using SCO data, e.g., DB2, DB3, H02.

EXHIBIT IV-AS-1  
CONTINUING APPROPRIATIONS

**SITUATION:** A typical five-year appropriation such as Capital Outlay where the first three years are available for encumbrance and expenditure and the final two years are available for liquidating encumbrances only.

Enactment Year	FFY	A/S Table Reversion Indicator	PCA Table Appropriation Method	Year-End Treatment of Unliquidated Encumbrances and Unencumbered Balances	New Tables Should Be In Place Before Bringing Encumbrance Forward
01	01	<b>2</b>	1 or 5	Roll forward to FFY 02	Requires New Year Tables <sup>1/</sup>
01	02	<b>2</b>	4	Roll forward to FFY 03	Requires New Year Tables <sup>1/</sup>
01	03	<b>0</b>	4	Stays in FFY 03	
01	04	No new tables are established	Does not apply		
01	05	Reversion indicator in FY 01, 02 and 03 is set to <b>1</b>	All balances revert. (Except those that support real GLAs, i.e., Prepayments and Cost Allocation when Net Allocation ≠ SCO PFA Posted)		

<sup>1/</sup> Appropriation Symbol, PCA, Index, and other tables as appropriate.

EXHIBIT IV-AS-2  
CONTINUING APPROPRIATIONS - STATUTORY

**SITUATION:** A typical Statutory appropriation such as Special Deposit Fund trust accounts, which continues availability from year to year.

Enactment Year	FFY	A/S Table Reversion Indicator	PCA Table Appropriation Method	Year-End Treatment of Unliquidated Encumbrances and Unencumbered Balances	New Tables Should Be In Place Before Bringing Encumbrance Forward
01	01	9	5	Roll forward to FFY 02	Requires New Year Tables every year <sup>1/</sup>
01	02	9	2	Roll forward to FFY 03	Requires New Year Tables every year <sup>1/</sup>
01	03	9	2	Roll forward to FFY 04	Requires New Year Tables every year <sup>1/</sup>
01	04	9	2	Roll forward to FFY 05	Requires New Year Tables every year <sup>1/</sup>
01	05	9	2	Roll forward to FFY 06	Requires New Year Tables every year <sup>1/</sup>

<sup>1/</sup> Appropriation Symbol, PCA, Index, and other tables as appropriate.



## INPUT CODING

A listing of the fields contained on the Appropriation Symbol Entry screen and/or on the activity reports is shown in Exhibit IV-AS-3. It includes explanations of the fields as well as coding instructions.

Data entered on the Appropriation Symbol Entry screen is keyed from the Appropriation Symbol Table Entry Form (CALSTARS 8). The form, shown in Exhibit IV-AS-4, is formatted the same as the Entry screen and is available at <http://www.dof.ca.gov/accounting/calstars/forms/>.

All table maintenance must be recorded on the Table Maintenance Control Log (CALSTARS 20) as described in the *Table Maintenance Log* section of Chapter IV.

## APPROPRIATION SYMBOL ENTRY SCREEN

The Entry screen shown here is available through Command **I.1**

```

9990 I.1: Appropriation Symbol Entry                                01-11-2006 04:26 PM

Function: _ (A=Add, C=Change, D=Delete, F=FFY Maint, N=Next, P=Print Table)
          (R=Recall Maint/Print, U=Gen Rec, V=View, W=Print Rec)

FFY: _____ APPN SYMBOL> _____ TITLE> _____

ACCT TYPE> _____ PROGRAM > _____ ELEMENT> _____ COMP > _____ TASK > _____
CHARACTER> _____ CATEGORY > _____ OBJECT > _____ OBJ DTL > _____ ENACT YR: _____
CHAPTER : _____ REFERENCE> _____ BUD ORG: _____ DISB ORG: _____
DATES: START: _____ ENCUMBRANCE AVAIL: _____ REVERSION: _____

SCO ACCOUNT: FUND > _____ SUB-FUND : _____ ENACT YR : _____ REF > _____
              CATEGORY : _____ PROGRAM > _____ ELEMENT > _____ COMP> _____
              TASK > _____ ACCT TYPE> _____ CNTL TYPE> _____
              REV ACCT : _____ CHAPTER : _____
INDICATORS: APPN CNTL> _____ APPN ORG > _____ APPN PROGRAM > _____
              APPN OBJ > _____ ALLOT OBJ> _____ ALLOT FILE > _____
              CASH CNTL> _____ REVERSION> _____ ACTIVE/INACTIVE> _____

Command: _____ LP DATE: _____
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help Retrn Quit Log List Dfalt Bkwrд Frwrd Clear Main

```

Most Appropriation Symbol Table maintenance, **A**=Add, **C**=Change, **D**=Delete, **F**=FFY Maint (Funding Fiscal Year Maintenance), **N**=Next, **P**=Print Table, **R**=Recall Maint/Print (Recall Maintenance/Print), **U**=Gen Rec (Generate a single record), **V**=View, and **W**= Print Rec (Print Record), can be performed from the Entry screen.

From the FFY Maintenance screen, **G**enerate FFY, **P**=Print Table, **R**=Recall Maint/Print, and **X**=Delete FFY functions can be performed. Refer to the *FFY Maintenance Screen* section in this chapter for further discussion.

## APPROPRIATION SYMBOL LIST SCREEN

The List screen is displayed when the **F5**=List key on the Entry screen is pressed.

Most table maintenance, **C**=Change, **D**=Delete, **F**=FFY Maintenance (**G**=Generate FFY and **X**=Delete FFY), **P**=Print Table, **R**=Recall Maintenance/Print, **U**=Generate a single record, **V**=View, and **W**=Print Record, may be initiated from the List screen. The List screen gives agencies the ability to select multiple records from the screen. Scrolling to another screen for additional selections is not allowed until all selected maintenance is finished.

An example of the screen is displayed here.

```

9990 Appropriation Symbol List                                01-11-2006 04:36 PM

Function: _ (F=FFY Maint, P=Print Table)                    Go to AS: _____
          (R=Recall Maint/Print)                             FFY: 2005

Enter under F below: (C=Change, D=Delete, U=Gen Rec, V=View, W=Print Rec)

F  AS      TITLE                                     ACCT  PG EL CMP TSK  REVERSION  A/I
-  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
-  001  AIR QUALITY                                   00    11          07-31-2004  0
-  002  AIR QUALITY STANDARDS                         00    11          06-30-2008  0
-  150  CILTS GENERAL FUND                           00    11          06-30-2008  0
-  151  OCDE FTF COM/IMPROVING LIFE                   00    11 50      06-30-2008  0
-  152  TESTING                                       00    11          06-30-2008  0
-  171  AMERICORPS FTF                               00    11 15      08-31-2008  0
-  175  AMERICORPS FTF                               00    11 15      06-30-2009  0
-  200  REIMBURSEMENTS                               90          06-30-2006  0
-  400  ADVANCE TO SRF - OTHER SERVICES               98          06-30-2003  0
-  500  REVOLVING FUND ADVANCE                       97          06-30-2008  0

Command: _____
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help  Retrn Quit  Log          Bkwrdr Frwrdr Clear          Main

```

The list of Appropriation Symbol (AS) records is displayed in AS order within the FFY. If the Entry screen is blank when **F5** is pressed, the list of AS records will begin with the first sequential record in the current FFY. Otherwise, it will begin with the FFY record shown when the **F5** was pressed.

The FFY is shown in the upper right corner of the screen. To change the FFY, enter the desired FFY and press **Enter**.

To find a specific record, enter the AS in the 'Go to AS:' field and press **Enter**. If the requested record exists, it will be the first record listed on the screen. If it does not exist, the list will start with the next sequential record.

To perform maintenance, either enter an **F**, **P** or **R** in the Function Field **or** enter a **C**, **D**, **U**, **V** or **W** in the F action column to the left of the desired record. Values cannot be keyed in both the Function field and the F action column at the same time. However, multiple records may be selected from the F action column.

When multiple records are selected from the List screen and **Enter** is pressed, the first record retrieved is displayed on the Entry screen. When **C** or **D** is selected, the **C** or **D** is inserted in the Function field on the Entry screen. The **F2** key is used to go to the next record. All records are displayed in ascending order by Appropriation Symbol within the FFY. All maintenance must be completed or cancelled (by pressing **F2** Next) before the List screen or the FFY Maintenance screen may be re-accessed.

## APPROPRIATION SYMBOL ACTIVITY LOG SCREEN

The Activity Log screen provides a historical log of all activity performed. The screen is displayed when the **F4=Log** key on the Entry or List screen is pressed. An example of the screen is displayed here.

```

9990 Appropriation Symbol - Activity Log                                08-10-2007 07:55 AM

Sort: D (D=Date/Time, U=UserID, K=FFY/AS)
-----Go To----- -Go To-- -Go To--
      DATE      TIME      USERID  FFY  AS
F  -----
-  -----
A  07-30-2007 09:00 AM  CSAQKLC  2007 131  OFFICE OF CHILD DEVELOPMENT & EDUCA
A  07-30-2007 08:59 AM  CSAQKLC  2007 130  VOLUNTEER/MENTOR PROGRAM
A  07-30-2007 08:58 AM  CSAQKLC  2007 001  PROGRAM 11 STATE PLANNING AND POLIC
A  07-30-2007 08:57 AM  CSAQKLC  2007 175  AMERICORPS FTF
A  07-30-2007 08:56 AM  CSAQKLC  2007 171  AMERICORPS FTF
A  07-30-2007 08:55 AM  CSAQKLC  2007 900  CALSTARS CLEARING ACCOUNT
A  07-25-2007 02:41 PM  CSAQKLC  2007 859  INDIRECT COST RECOVERY
D  07-25-2007 02:41 PM  CSAQKLC  2007 859  INDIRECT COST RECOVERY
A  07-09-2007 09:08 AM  CSAQKLC  2007 859  INDIRECT COST RECOVERY
C  06-20-2007 02:40 PM  CSAQKLC  1997 171  AMERICORPS FTF
C  06-20-2007 02:40 PM  CSAQKLC  1997 171  AMERICORPS FTF
A  06-20-2007 02:40 PM  CSAQKLC  1997 171  AMERICORPS FTF

Command: _____
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help  Retrn Quit          Dtail          Bkwrdr Frwrdr          Main

```

The list of activity records is sorted by date when **F4** is pressed if the Entry screen is blank or if the cursor on the List screen is not positioned on a record. The records are displayed in descending order beginning with the most recent activity performed. A **D** is displayed in the Sort field, and the Date/Time columns are displayed in white to indicate Date/Time as the sort order.

The list of activity records is sorted by FFY/AS when **F4** is pressed if a record is displayed on the Entry screen or if the cursor is positioned on a List screen record. The records are displayed by FFY/AS in ascending order beginning with the FFY/AS of the record previously on the Entry screen or the FFY/AS of the List screen record where the cursor was positioned. If there are multiple activity records for the same FFY/AS, those records are displayed by Date/Time with the most recent transaction on top. The Sort field displays a **K**, and the FFY/AS column is displayed in white to indicate FFY/AS as the sort order.

Activity records may be re-sorted by keying a **D**=Date/Time, **U**=UserID, or **K**=FFY/AS in the Sort field. For example, when **U**=UserID is keyed, the records are displayed in ascending order by UserID.

To search for a specific record(s), key a Date/Time, UserID, or FFY/AS in one of the three 'Go To' fields available below the Sort field. The first record matching the selection criteria displays on the first line, and the records are re-sorted according to the search field used. If multiple matching records are found, the matching records are displayed by Date/Time with the most recent transaction on top. If no matching record is found, the next sequential record is displayed according to the search field used.

Although all A/S Table records can be viewed on the A/S Entry screen, only the most recent activity records can be viewed on the Log screen. Each year on March 31 records older than three years are purged.

## LOG DETAIL SCREEN

The Log Detail screen displays the maintenance activity for a selected record. The Log Detail screen is accessed from the Activity Log screen. To view a record, place the cursor on any record line and press **F5**=Dtail.

An example of the Log Detail screen is displayed here.

```

9990 Appropriation Symbol Log Detail-Date/Time Order      08-10-2007 08:07 AM

Function: A  DATE: 07-30-2007  TIME: 08:59:50 AM  USERID: CSAQKLC

FFY: 2007  APPN SYMBOL: 130  TITLE: VOLUNTEER/MENTOR PROGRAM

ACCT TYPE: 00      PROGRAM : 11      ELEMENT:      COMP :      TASK :
CHARACTER: 1      CATEGORY :      OBJECT :      OBJ DTL :      ENACT YR: 1998
CHAPTER : 324      REFERENCE: 111  BUD ORG: 9990 DISB ORG: 9990
DATES: START: 07 01 2007  ENCUMBRANCE AVAIL: 06 30 2008  REVERSION: 06 30 2008

SCO ACCOUNT: FUND      :      SUB-FUND :      ENACT YR :      REF :
              CATEGORY :      PROGRAM :      ELEMENT :      COMP:
              TASK      :      ACCT TYPE:      CNTL TYPE:
              REV ACCT :      CHAPTER :
INDICATORS:  APPN CNTL: 0  APPN ORG : 0  APPN PROGRAM : 1
              APPN OBJ : 0  ALLOT OBJ: 0  ALLOT FILE :
              CASH CNTL: 0  REVERSION: 1  ACTIVE/INACTIVE: 0

Command:
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help  Retrn Quit                        Bkwrdr Frwrdr                        Main

```

Note that the Function as well as the entire maintenance record is displayed. For Change maintenance transactions, the changed fields are highlighted.

The F7 and F8 keys are used to scroll through the maintenance records. The sort specified on the Activity Log screen is maintained when scrolling through the Log Detail records.

## FFY MAINTENANCE SCREEN

The FFY Maintenance screen is available for online tables that have a FFY and require Funding Fiscal Year maintenance, such as the **G**enerate function. The FFY Maintenance screen is accessed from:

- ✧ The Appropriation Symbol Entry or List screen by keying a **F** in the Function field and pressing **Enter** (Entry screen must be blank, except FFY, when **Enter** is pressed.)
- ✧ The I: Table Maintenance/Inquiry screen by keying **80** in the Code field at the bottom of the screen and pressing **Enter**.
- ✧ Any CALSTARS screen with a Command line by keying **I.80** on the Command line and pressing **Enter**.

An example of the screen is displayed here.

```

9990 FFY Maintenance                                02-24-2005 01:36 PM

Enter under F below: (G=Generate FFY, P=Print Table, R=Recall Maint/Print)
                    (X=Delete FFY)
Enter under FFY below the year to Generate from, Delete, or Print.

F  FFY          TABLE
-  ----  -
-      Index Code      (IC)
-  2004  Appropriation Symbol (AS)
-      Program Cost Account (PCA)
-      Cost Allocation    (CA)
-      Employee Master    (EM)

-      DGS Invoice Allocation (EA)
-      DGS Services        (OD)

Press Enter to submit request(s)

Command:
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help  Retrn Quit                                Clear                                Main

```

To initiate maintenance activity from the FFY Maintenance screen, key **G**, **P**, **R** or **X** in the F action column to the left of the desired table. Key the appropriate FFY, and press **Enter**. If the FFY is displayed on the Entry or List screen when the F Function is initiated, the FFY will already be displayed on the FFY Maintenance screen.

## TABLE MAINTENANCE FUNCTIONS

The following functions (except **G**, **X** and some **P**) are performed online for an immediate update. Updated records are ready for use as soon as they are successfully entered.

**A=Add****From The Entry Screen:**

Key **A** in the Function field, the FFY, Appropriation Symbol, and the appropriate values in the informational elements fields to **Add** a record to the AS Table. When all data is entered on the screen, press **Enter**. If the transaction passes all online edits, it updates the AS file. A fresh screen is displayed with blank data fields, and a message confirming that the AS Table record was added successfully is displayed at the bottom of the screen.

**From The List Screen:**

The **Add** function is not available on the List screen.

**C= Change****From The Entry Screen:**

To **Change** a record, the record must first be displayed on the screen. To display a record and make a change, either:

- (1) Scroll through the records using the **F7** and **F8** keys, and key **C** in the Function field of the desired record.
- (2) Key **V** in the Function field, the appropriate values in the FFY and the Appropriation Symbol fields, and press **Enter** to **View** a record. Key **C** in the Function field.
- (3) Key **C** in the Function field, the appropriate values in the FFY and the Appropriation Symbol fields, and press **Enter**.

Key over the fields to be changed and press **Enter**. When **Enter** is pressed, the AS record is displayed with the changes. A message confirming that the record was changed successfully is displayed at the bottom of the screen.

**From The List Screen:**

Key **C** in the F action column to the left of the desired record(s), and press **Enter** to display the record on the Entry screen. Key over the fields to be changed, and press **Enter**. When **Enter** is pressed, the record is displayed with the changes. A message confirming that the record was changed successfully is displayed at the bottom of the screen. Use **F2** to proceed to the next selected record or to return to the List screen.


**Note:** To blank out (delete) information on input fields, use the delete key or the space bar. Dollar signs are no longer used in Change transactions to delete information on input fields.

**D=Delete****From The Entry Screen:**

To **Delete** a record, either:

- (1) Scroll through the records using the **F7** and **F8** keys, key **D** in the Function field of the desired record, and press **Enter**.
- (2) Key **V** in the Function field, the appropriate values in the FFY and the Appropriation Symbol fields, and press **Enter** to **View** a record. Key **D** in the Function field, and press **Enter**.
- (3) Key **D** in the Function field, the appropriate values in the FFY and the Appropriation Symbol fields, and press **Enter**.

The record and the Action Confirmation pop-up screen are displayed. The pop-up screen is shown here.



If **F4** is selected, the record is deleted immediately.

If **F2** is selected, the record remains in the AS Table.

A message confirming that the record was deleted successfully or that the **Delete** function was cancelled is displayed at the bottom of the screen. When either is selected, the record remains on the Entry screen, and the Function field is blank.

**From The List Screen:**

Key **D** in the F action column to the left of the desired record, and press **Enter**. The record and the Action Confirmation pop-up screen are displayed.

If **F4** is selected, the record is deleted immediately.

If **F2** is selected, the record remains in the AS Table.

A message confirming that the record was deleted successfully or that the **Delete** function was cancelled is displayed at the bottom of the screen. When either is selected, the record remains on the Entry screen, and the Function field is blank. Use **F2** to proceed to the next selected record or return to the List screen.

**F=FFY Maint**

The **F=FFY Maint** function is used to access the FFY Maintenance screen. To access the screen, key **F** in the Function field of the Appropriation Symbol Entry or List screen and press **Enter**. Refer to the FFY Maintenance Screen section (previous section in this chapter) for more information.

**G=Generate FFY**

The **Generate** function copies Appropriation Symbol records from one year to the next and increases the FFY by one during overnight processing. This function is only available through the FFY Maintenance screen.

To initiate the **Generate** function from the FFY Maintenance screen, key **G** in the F action column on the Appropriation Symbol line. Key the appropriate Year 1 FFY in the FFY field to create Year 2 FFY records as displayed in the following example.

Key the existing FFY: (Year 1) in the FFY field	To <b>Generate</b> records for: (Year 2)
2007	2008
2008	2009
2009	2010

When **Enter** is pressed, a confirmation message is displayed at the bottom of the screen. Use **F2** to return to the previous screen.

The **Generate** function may be run more than once for the same fiscal year to add new Year 1 records to Year 2. For example, using the **Generate** function a second time may be quicker than manually adding new Year 1 records to Year 2 records **after** Year 1 records were generated. The **Generate** function does not update or replace records previously **Added** or **Generated**, so records are not duplicated. However, if a Year 1 record is deleted from year 2 and the **Generate** function is run a second time, the deleted Year 1 records will be added back to Year 2.

If an attempt is made to **Generate** records that have already been **Added**, an error message is displayed on the Appropriation Symbol (AS) Table Activity Report for each existing record. However, error messages are not issued when an attempt is made to **Generate** previously generated records. If the **G=Generate** function is keyed more than once during the same processing day, an online message is displayed stating that the Generate FFY has already been requested.

Successful **Generate** transactions update the AS File during the CALSTARS nightly process. **Generate** transactions that do not pass all edits are not added to the AS Table; they are displayed on that day's activity report with their corresponding error messages.



### Factors That Impact AS Table Generate Maintenance

The following table describes how various factors impact the Generate table maintenance function for the AS Table.

AS Table Generate Function Logic Table			
AS Table Record Value:			Result
Reversion Ind.	Start Date within the fiscal year (7-1-YYYY through 6-30-YYYY) of the 'Generate' maintenance transaction FFY?	Account Type is 00, 85, 90, 91, 92, 95, 96, 97, 98, CA or RR?	
0	Yes	Yes	Generate function creates new record with:  The Enactment Year and the SCO Account Enactment Year is set to the current AS Table FFY + 1.  The Chapter and the SCO Account Chapter is set to BAYYYY (where YYYY is the new 4-digit FFY) <sup>1/</sup> .  The Start Date, Encumbrance Availability Date and the Reversion Date are incremented by one year (+1).
		No	Generate function generates new FFY record with no changes to information.
	No	Yes	Generate function generates new FFY record with no changes to information.
		No	Generate function generates new FFY record with no changes to information.
1			No new record generated.
2 or 9			Generate function generates new FFY record with no changes to information.

<sup>1/</sup> When the Budget Act is signed and Chaptered, an automated process is run to replace "BAYyyy" with the actual Chapter citation. A CALSTARS News item is issued to explain this process before it happens.

**N=Next****From The Entry Screen:**

**Next** performs the same as the **Add** function, except the data remains on the screen after **Enter** is pressed.

**From The List Screen:**

The **Next** function is not available on the List screen.

**P=Print Table**

The **Print Table** function provides agencies the option of generating an electronic report file of the Appropriation Symbol (AS) Table Listing Report and/or printing the report through the Print/Report File Selection pop-up screen. An example of the CSB940-2 report is displayed in Exhibit IV-AS-5.

If a FFY is displayed on the pop-up screen, only records for the specified FFY are selected. If the FFY field is blank, the **entire** Appropriation Symbol Table (all FFYs) is selected.

**From The Entry Screen:**

Key **P** in the function field, and press **Enter** to display the Print/Report File Selection pop-up screen. If a FFY is displayed on the Entry screen when **Enter** is pressed, the FFY is displayed on the pop-up screen. If the FFY field is blank when **Enter** is pressed, the FFY is not displayed on the screen. Except for the function and the FFY fields, all fields must be blank when **Enter** is pressed.

**From The List Screen:**

Key **P** in the function field, and press **Enter** to display the Print/Report File Selection pop-up screen. To request **all** records within the Appropriation Symbol Table, delete the FFY from the FFY field on the pop-up screen. Except for the function and the FFY fields, all fields must be blank when **Enter** is pressed.

**From The FFY Maintenance Screen:**

Key **P** in the F action column, the FFY if desired, and press **Enter** to display the Print/Report File Selection pop-up screen. If a FFY is displayed on the FFY Maintenance screen when **Enter** is pressed, the FFY is displayed on the Print/Report File Selection pop-up screen. If the FFY field is blank when **Enter** is pressed, the FFY is not displayed on the screen.

An example of the pop-up screen is shown here.

```
Print/Report File Selection
Appropriation Symbol (AS) Table

Enter FFY or leave blank for entire table

Enter Destination:
F=Report File only
Report File: CS9990.CSI940-2.TBL-AS.IQ.D2050308.T1039394
P=Printer Output and Report File
Printer ID : CTP2      Report Class: Z      Report ID: ITBL
Report File: CS9990.CSI940-2.TBL-AS.IQ.D2050308.T1039394
O=Report Output after Overnight Processing
Printer ID : CTP2      Report Class: A      Report ID: TBLE

Press Enter to submit the request, F2 to cancel
```

Key one of the following 3 options in the Destination field on the pop-up screen:

- F** – Immediately generates an electronic report file of the Appropriation Symbol (AS) Table Listing Report (CSI940-2).
- P** – Immediately generates an electronic report file of the Appropriation Symbol (AS) Table Listing Report (CSI940-2) **and** ROPES the Appropriation Symbol (AS) Table Listing Report (CSI940-2) to an agency printer.
- O** – ROPES the Appropriation Symbol (AS) Table Listing Report (CSB940-2), including the current day's table maintenance, to an agency printer after overnight processing is complete.

When **Enter** is pressed, a confirmation message is displayed at the bottom of the screen.

**Note:** The Print Output Destination is maintained by CALSTARS staff. To request a change, send an e-mail to [calstars@dof.ca.gov](mailto:calstars@dof.ca.gov). Include 'Report Routing' in the subject line.

### R=Recall Maint/Print

The Recall function is used to delete overnight AS table maintenance before it is initiated.

#### From The Entry Screen Or The List Screen:

Key **R** in the function field, and press **Enter** to display the Recall Overnight Maintenance/Print Request pop-up screen. All other fields must be blank when **Enter** is pressed.

**From The FFY Maintenance Screen:**

Key **R** in the F action field, and press **Enter** to display the Recall Overnight Maintenance/Print Request pop-up screen. All other fields must be blank when **Enter** is pressed.

An example of the pop-up screen is shown here.

```

Recall Overnight Maintenance/Print Request
Appropriation Symbol (AS) Table

Select one or more with a 'Y':

_ Remove the request to Delete FFY 2002
_ Remove the request to Generate FFY 2006
_ Remove the request to Print FFY 2007
*** End of Data ***

Press Enter to remove the request(s) .
PF2          PF7  PF8
Retrn        Bkwrd Frwr

```

Key **Y** in the field to the left of the desired maintenance or print request(s), and press **Enter** to delete the request(s). A confirmation message is displayed at the bottom of the pop-up screen. Use **F2** to return to the previous screen (Entry, List, or I.80 FFY Maint).

**U=Gen Rec****From The Entry Screen:**

Key **U**=Generate Record in the Function field, the FFY and Appropriation Symbol in their respective fields, and press **Enter** to generate an individual record for the new FFY. A message confirming that the record was successfully generated is displayed at the bottom of the screen.

**From The List Screen:**

Key **U** in the F action column to the left of the desired record(s) and press **Enter**. The record is displayed on the Entry screen with a confirmation message. Use **F2** to proceed to the next selected record or to return to the List screen.

**V=View****From The Entry Screen:**

Key **V** in the Function field, the FFY and Appropriation Symbol in their respective fields, and press **Enter** to View a record. A confirmation message is displayed at the bottom of the screen.

**From The List Screen:**

Key **V** in the F action column to the left of the desired record, and press **Enter**. The record is displayed with a confirmation message at the bottom of the screen. Use **F2** to proceed to the next selected record or to return to the List screen.

**W=Print Rec**

The **W** function immediately prints a single record report (CSI940-2) **and** generates a single record report file from the Appropriation Symbol Table. The printed report is ROPED to the agency printer in the ITBL queue. The electronic report file naming convention is CSxxxx.CSI940-2.TBL-AS.IQ.Dcyymmdd.Thhmmss.

**From The Entry Screen:**

Key **W** in the Function field, the FFY and Appropriation Symbol in their respective fields, and press **Enter** to print the record and generate the report file. The record is displayed with a confirmation message at the bottom of the screen

**From The List Screen:**

Key **W** in the F action column to the left of the desired record, and press **Enter** to print the record and generate the report file. The record is displayed on the Entry screen with a confirmation message. Use **F2** to proceed to the next selected record or to return to the List screen.

**X=Delete FFY**

The **X=Delete FFY** function initiates the deletion of all AS records for a specified FFY during overnight processing. This function is only available through the FFY Maintenance screen.

If a FFY is displayed on the Entry or List screen before **Enter** is pressed, the FFY is displayed on the pop-up screen. If the FFY field is blank when Enter is pressed, it is necessary to key the FFY.

Key **X** in the F action column (on the maintenance screen), the FFY in the FFY field if necessary, and press **Enter**. The Action Confirmation pop-up screen is displayed as shown here.

A C T I O N   C O N F I R M A T I O N  
Delete all Appropriation Symbol records for 2005  
Press F4 to confirm; F2 to cancel

If **F4** is selected, **all** table records for the selected FFY will be deleted during the next overnight processing cycle.

If **F2** is selected, the FFY records remain in the Appropriation Symbol Table.

A message confirming that the records were deleted successfully or that the **Delete** function was cancelled is displayed at the bottom of the screen.

**Note:** Function X cannot be used for the current, prior or prior-prior fiscal years. If an attempt is made to delete the current, prior or prior-prior FFY, an error message is displayed at the bottom of the screen.

## FUNCTION (F) KEYS

The program function keys are used for online help, for efficient navigation to various online screens, for establishing defaults, and for clearing the screen. The following F keys are available for the Appropriation Symbol Table screens:

**F1=Help**—The following two types of online help is available on pop-up screens:

- ✱ **Field look-up assistance** is available for fields that display a ">" (greater than) sign to the right of the field label. When the cursor is placed on any space within a field having a ">" and **F1** is pressed, a pop-up screen displays a list of the available values for that field. To locate a desired code, use the F7 and F8 keys to scroll through the listing or use the search option. To begin a search, enter a portion or all of a number or title in the fields at the top of the pop-up window and press **Enter**. To insert a code on the Entry screen, use the mouse or arrow keys to place the cursor on the row that includes the desired code. The code is automatically inserted on the Entry screen when **Enter** is pressed.

**NOTE:** When table look-up assistance is used with the Appropriation Symbol or Title fields, the entire record is displayed when a selection is made.

- ✱ **General text information** is available when the cursor is placed on the screen and **F1** is pressed. This does not apply for fields with look-up assistance.

**F2=Retrn** (Return) or **Next**—The following two functions are available for the **F2** key.

**Retrn**—Exits the present activity and displays the prior or higher order menu or screen. All data entered on the screen, but not accepted before exiting, is lost.

**Next**—When more than one record is selected for action from the List screen and **Enter** is pressed, the first selected record is displayed. The label

below the **F2** key changes from **Retrn** to **Next**. When **F2=Next** is pressed, the next selected record is displayed. The records are displayed one at a time in ascending order. When the last record selected is displayed, the label below the **F2** key changes back to **Retrn**.

**F3=Quit**—Exits the present activity in preparation for CALSTARS logoff. An action confirmation pop-up screen will display to confirm the **Quit** action. Data entered on the screen, but not accepted for processing, remains on the screen if **F2** (resume) is selected. When **F3** is selected, the CALSTARS logoff is initiated. All data entered on the screen, but not accepted for processing, is lost.

**F4=Log**—Displays the Appropriation Symbol Log Activity screen.

**F5=List or Log Detail**—The following two functions are available for the **F5** key.

**List**—Displays the Appropriation Symbol List screen.

**Log Detail**—Displays the Appropriation Symbol Log Detail screen.

**F6=Dfalt** (Default)—Locks and unlocks fields for data entry. Defaults may be set to retain coding information for use in consecutive transactions and to "skip" unused fields so the cursor stops only at fields to be keyed. Values cannot be changed in locked fields.

To set Defaults:

1. Enter data in the fields that are to become defaults (i.e., used in the current and subsequent transactions).
2. To skip fields that will **not** be used, enter a period (.) in the **first** position of the fields.
3. Press **F6** to lock these fields as defaults. This changes the characters to green and the underline is removed.

Enter the remainder of the data needed for the transaction, and press **Enter** to 'save' the transaction.

Defaults may be turned on or off at any time during the transaction entry process by alternately pressing **F6**.

**F7=Bkwrđ** (Backward)—Go to the previous record (page of records.)

**F8=Frwrđ** (Forward)—Go to the next record (page of records.)

**F9=Clear**—Erases all keyed fields except any fields locked by 0 **F6=Dfalt**.

**F12=Main**—Go to the CALSTARS main menu. All data entered on the screen, but not accepted for processing, is lost.

## AS TABLE REPORTS

The following reports are system generated:

- ✧ Appropriation Symbol (AS) Table Activity Report (CSB940-1) - This report displays all transactions successfully entered online during the work day. It is produced during overnight processing whenever online table maintenance has been entered since the previous processing cycle. The report is displayed in Exhibit IV-AS-5.
- ✧ Appropriation Symbol (AS) Table – Delete FFY (yyyy) Report (CSB940-3) –This report displays all records deleted when Function **X**=Delete FFY is entered. The report is displayed in Exhibit IV-AS-5.
- ✧ Appropriation Symbol (AS) Table Upload Activity Report (CSB940-4) – This report displays all transactions processed from external input files and corresponding error codes and messages, if applicable. The report is displayed in Exhibit IV-AS-5.

The following reports are produced upon request of the department:

- ✧ Appropriation Symbol (AS) Table Listing Report (CSB940-2/CSI940-2) - This report is produced when function **P**=Print Table or **W**=Print Rec (1 record only) is entered on the Appropriation Symbol screen. If Function **P** and a Funding Fiscal Year are entered, the listing is limited to the specific fiscal year requested. If **P** is entered without a FFY, the listing contains all fiscal years in the Appropriation Symbol table. The CSB940-2 report is displayed in Exhibit IV-AS-5.

**NOTE:** CSBnnn-n and CSInnn-n reports contain the same information and are identical in format. Therefore, only CSBnnn-n reports are displayed in the report examples.

The difference between the CSB and CSI reports is based on when the reports are generated. CSB reports are generated during CALSTARS nightly processing and, therefore, include all table maintenance performed up to the time at which nightly processing begins. CSI reports are generated immediately and include all maintenance performed up to the time at which the report is requested.

## CONTROL

The Appropriation Symbol (AS) Table Activity Report (CSB940-1) and the Appropriation Symbol (AS) Table Upload Activity Report (CSB940-4) should be proofread to ensure that all maintenance was done correctly.

A control log and the activity reports should be maintained for the same amount of time as the accounting transactions they control.



EXHIBIT IV-AS-3  
APPROPRIATION SYMBOL TABLE AND REPORT FIELD DESCRIPTIONS

Data Element	Length	Contents
<b><u>Control Key:</u></b>		
ORGANIZATION NUMBER (ORG)	4	The Organization is automatically displayed based on the signon used. It cannot be altered.
FUNDING FISCAL YEAR (FFY)	4	Enter the Funding Fiscal Year that identifies the year to which this record pertains.
APPROPRIATION SYMBOL (APPN or AS)	3	Enter the Appropriation Symbol Number. Follow the 'guidelines' on coding appropriation symbols. This code may be alpha-numeric. Special symbols and code <b>000</b> are not allowed.
<b><u>Informational Elements:</u></b>		
TITLE	40	<p>Enter the appropriation Title. Refer to the 'Guidelines' section at the beginning of this chapter for exceptions to the following rules.</p> <p>Use the same title as the SCO, per the SCO Agency Reconciliation Report.</p> <p>This title is used as a citation on claim schedule face sheets, on the Detail Report of Appropriation Status B04 Report) and on the Final Budget Report (B06 Report). The SCO requires certain language to satisfy their legal and fiduciary requirements. If the field is too short, consult the SCO for abbreviated words that will be acceptable.</p> <p>If an AS is used on claim schedule transactions and the SCO Account Type is 11-87 and not 00, 20, 30, 40, 50, 60, 70 or 80, the AS Table title will be used in the 'Purpose' field of the Claim Schedule Face Sheet.</p> <p>If the Account Type is 'CA', CALSTARS will automatically use 'Clearing Account' in the 'Purpose' field of the Claim Schedule Face Sheet. This conforms with the SCO requirement. The title field on the AS Table should also be titled 'Clearing Account'.</p>

EXHIBIT IV-AS-3  
APPROPRIATION SYMBOL TABLE AND REPORT FIELD DESCRIPTIONS

Data Element	Length	Contents
ACCOUNT TYPE (ACCT)	2	<p>Enter the Account Type. Valid values are:</p> <p><b>00</b> - Appropriated by program or category (includes special deposit fund accounts, transfers and loans)</p> <p><b>11-87</b> - SCO (2-digit) Category (<b>excluding 20, 30, 40, 50, 60, 70, 80 and 85</b>)</p> <p><b>80</b> - Unallotted (per Budget Act, Exec. Order or Special Legislation)</p> <p><b>85</b> - Unallocated (per Budget Act)</p> <p><b>88</b> - Employees Retirement Contribution Offset</p> <p><b>89</b> - Reimbursement Refunds (Trustees only)</p> <p><b>90</b> - Scheduled Reimbursements</p> <p><b>91</b> - Unscheduled Reimbursements</p> <p><b>92</b> - Miscellaneous Reimbursements (2<sup>nd</sup> Schedule line)</p> <p><b>95</b> - Other Miscellaneous Advances</p> <p><b>96</b> - State Compensation Insurance Fund</p> <p><b>97</b> - Revolving Fund Advance</p> <p><b>98</b> - Service Revolving Fund Advance-Other Services</p> <p><b>CA</b> - Clearing Account (Program 99)</p> <p><b>PR</b> - Partial Reappropriation</p> <p><b>RR</b> - Revenues and Refunds to Reverted Appropriations (includes Federal Receipts, 0890 - F accounts)</p>
<p><b><u>Program Coding Levels:</u></b> (Program, Element, Component and Task)</p> <p><i>Refer to the 'guidelines' before coding these fields.</i></p> <p>If these fields are coded, the APPROPRIATION <b>OBJECT</b> LEVEL Indicator must be '<b>0</b>' and the APPROPRIATION <b>PROGRAM</b> LEVEL Indicator must be consistent with the level of the program structure coded. AS Table coding <b>must</b> be at the same level as the Budget Act and other accounts/items.</p>		
PROGRAM (PG)	2	Enter the Program or leave blank (used for program appropriations). The Program must be pre-defined in the D15 Descriptor Table. Leave blank for the clearing account appropriation symbol, category appropriations, or when the SCO program is blank.
ELEMENT (EL)	2	Enter the Element or leave blank. The Element must be pre-defined in the D16 Descriptor Table and can be coded only when Program is not blank.
COMPONENT (COMP or CMP)	3	Enter the Component or leave blank. The Component must be pre-defined in the D17 Descriptor Table and can be coded only when the Program and Element are not blank.
TASK (TSK)	3	Enter the Task or leave blank. The Task must be pre-defined in the D18 Descriptor Table and can be coded only when the Program, Element, and Component are not blank.

EXHIBIT IV-AS-3  
APPROPRIATION SYMBOL TABLE AND REPORT FIELD DESCRIPTIONS

Data Element	Length	Contents
CHARACTER (CHAR)	1	Enter the statewide (UCM) Character code:  1 - Support 2 - Local Assistance 3 - Capital Outlay
<b>Category Coding Levels:</b> (Category, Object and Object Detail)  <i>Refer to the 'guidelines' before coding these fields.</i>  If these fields are coded, the APPROPRIATION <b>PROGRAM</b> LEVEL Indicator must be '0' and the APPROPRIATION <b>OBJECT</b> LEVEL Indicator must be consistent with the category coding level. Leave these fields blank if appropriated by program.		
CATEGORY (C)	1	Enter the statewide 1-digit Category or leave blank. Used by agencies that receive appropriations on a line-item basis. Leave blank for the clearing account appropriation symbol. If blank and the Appropriation Object Level Indicator is set to 1, CALSTARS will determine the Category based on the Object.
OBJECT (OB)	2	Enter the statewide Object or leave blank. Coded only when the appropriation is at this level and Category is not blank.
OBJECT DETAIL (OBJ DTL or DTL)	3	Enter the statewide Object Detail or leave blank. Coded only when the appropriation is at this level and the Category and Object are not blank.
ENACTMENT YEAR (ENACT YR or ENY)	4	Enter the Enactment Year. Refer to the <i>Uniform Codes Manual</i> for guidelines on coding the Enactment Year when it is not readily discernible. It will normally be the same as the funding fiscal year. For continuing appropriations, capital outlay or reappropriations, follow the SCO Agency Reconciliation Report format and use the Year (shown as 'YR Date') as the Enactment Year.
CHAPTER (CHAPT)	6	Enter the Appropriation Chapter Number. Use the format <b>nnn/FY</b> , where <b>nnn</b> is the Chapter Number and <b>FY</b> is the year the Chapter is passed. For the proposed Budget Act, use <b>BAyyyy</b> . Once chaptered, the <b>BAyyyy</b> is replaced with the real Chapter number. <b>Blank</b> is not allowed. Use <b>NA</b> for revenue items that do not have a chapter.
REFERENCE (REF)	3	Enter the Reference from the appropriation in the Budget Act or <i>Uniform Codes Manual</i> , as appropriate. The Reference must be defined in the D26 Descriptor Table. The Reference must match the SCO Agency Reconciliation Report <b>and</b> comply with the UCM coding structure.  For revenue items, <b>except the FTF</b> , use <b>980</b> in accordance with the UCM. For FTF revenue receipts, Fund 0890, use the same Reference as shown in the Budget Act and the SCO Agency Reconciliation Report.
BUDGET ACT ORG (BUD ORG)	4	Enter the Organization Code contained in the Budget Act that defines the legal reference. For most agencies, this should be the same as the OC Table Level 1 organization.
DISBURSING ORG (DISB ORG)	4	Enter the Organization Code that identifies the SCO agency control account. This is the code that will print out on claim schedules and remittance advices.

EXHIBIT IV-AS-3  
APPROPRIATION SYMBOL TABLE AND REPORT FIELD DESCRIPTIONS

Data Element	Length	Contents
START DATE	2+2+4	Enter the first date the appropriation is available ( <i>MMDDYYYY</i> format). This date is July 1 for Budget Act items and January 1 for other legislation unless otherwise specified.
ENCUMBRANCE AVAILABILITY DATE (ENCUMB AVAIL or ENC AVAIL)	2+2+4	Enter the last date that the appropriation is available for encumbering ( <i>MMDDYYYY</i> format). For continuing appropriations or appropriations without regard to fiscal year, use <b>99999999</b> (Reversion Indicator must be <b>2</b> or <b>9</b> ). This date should be the same as the date Encumbrance Availability Date on the SCO Agency Reconciliation Report.  For Account Type RR (Receipt) appropriation symbols, leave <b>blank</b> .
REVERSION DATE	2+2+4	Enter the last date that an appropriation is available ( <i>MMDDYYYY</i> format). For continuing appropriations or appropriations without regard to fiscal year, use <b>99999999</b> (Reversion Indicator must be <b>2</b> or <b>9</b> ). This date should be the same as the Reversion Date on the SCO Agency Reconciliation Report.
<b>SCO Account:</b>		Fields are only required if using this segment. Refer to the 'SCO Account Segment' section of this chapter for additional information. If any data is entered, Fund, Enactment Year and Account Type are required.
FUND	4	Enter the four-digit SCO Fund. If using the SCO Account segment, this is a <b>required</b> field and must be on the D22 table.
SUB-FUND	3	Enter the SCO Sub-fund to provide additional Fund identification, if present. CALSTARS uses Fund Detail to define this field.
ENACTMENT YEAR (ENACT YR or ENY)	4	Enter the enactment year as displayed on the SCO report as YR. If using the SCO Account segment, this is a <b>required</b> field. The ENY represents the legislative session year of legal authority to spend or receive receipts. CALSTARS defines this as Enactment Year.
REFERENCE (REF)	3+4	Enter the reference as shown up to seven digits. The last four digits are for fiscal year of spending authority for a particular reference. This is typically used for Partial Reappropriations. Only complete the last four digits if used by SCO.
CATEGORY (CAT)	2	Enter the category as defined by SCO for non-traditional coding ( <b>11-99</b> ). Leave blank for true category appropriations, CALSTARS will identify the category as defined in the UCM (1, 3, 4, 5, 6, 8, or 9) and append a zero.
PROGRAM (PG)	2	Enter the program as defined by SCO.
ELEMENT (EL)	2	Enter the element as defined by SCO.
COMPONENT (COMP or CMP)	3	Enter the component as defined by SCO.
TASK (TSK)	3	Enter the task as defined by SCO.
ACCOUNT TYPE (ACCT or AT)	1	Enter the SCO detail account type. If using the SCO Account segment, this is a <b>required</b> field.  <b>D</b> - Disbursing Account <b>F</b> - Reimbursement Account or Transfer-In Account (GLAN 9811) <b>R</b> - Revenue Account <b>T</b> - Transfer-From Account (GLAN 9812)

EXHIBIT IV-AS-3  
APPROPRIATION SYMBOL TABLE AND REPORT FIELD DESCRIPTIONS

Data Element	Length	Contents
CONTROL TYPE (CNTL TYPE or CT)	1	Enter the SCO control account type for the specified detail account:  <b>C</b> - Control Appropriation Account (use with <b>D</b> , <b>F</b> , and <b>T</b> detail account types) <b>Q</b> - Control Revenue Account (use with <b>R</b> detail account type)
REVENUE ACCOUNT (REV ACCT)	6	Excluding Source <b>500000</b> , only complete if SCO is using a Source that is not identified in the UCM or does not match CALSTARS codes. The first digit is a unique SCO code, typically 0. CALSTARS will convert <b>570000</b> to <b>500000</b> .
CHAPTER	5	Enter the SCO appropriation chapter number.
<b>Indicators:</b>		
APPROPRIATION CONTROL TYPE (APPN CNTL or AP CNTL)	1	Enter the Appropriation Control Type Indicator. This indicator can be used to provide less restrictive appropriation fund control <b>edits than what is coded on</b> the OC Table Fund Related Error Severity Segments. Example: If an OC Table Fund Related Error Severity Segment is set to Fatal ( <b>F</b> ), agencies can use this field to override the fatal severity for specific Appropriation Symbols.  If a department wishes to apply the same level of editing as is performed per the OC Table, this indicator should be set the same as the OC Table.  The values are: <b>0</b> - No appropriation fund control (Ignore). <b>1</b> - Absolute appropriation fund control (Fatal). All expenditures and obligations that exceed the appropriation post to the Error File. <b>2</b> - Advisory appropriation fund control (Warning). All expenditures and obligations that exceed the appropriation receive a warning message post to the update files.
APPROPRIATION ORGANIZATION LEVEL (APPN ORG or AP ORG)	1	Enter the Appropriation Organization Level Indicator: <b>0</b> - Control appropriations by Organization. <b>1</b> - Control appropriations by Section.  <b>NOTE:</b> If <b>1</b> is selected, <b>make sure</b> that indicators on other tables are also set to this level; e.g., IC Table G/L Org Level Indicator, etc.
APPROPRIATION PROGRAM LEVEL (APPN PROGRAM or AP PROG)	1	Enter the Appropriation Program Level Indicator. Must match the program level selected (See Program Coding Levels, above): <b>0</b> - Control not by program <b>1</b> - Program level <b>2</b> - Element level <b>3</b> - Component level <b>4</b> - Task level

EXHIBIT IV-AS-3  
APPROPRIATION SYMBOL TABLE AND REPORT FIELD DESCRIPTIONS

Data Element	Length	Contents
APPROPRIATION OBJECT LEVEL (APPN OBJ or AP OBJ)	1	Enter the Appropriation Object Level Indicator: (See Category Coding Levels, above)  <b>0</b> - Control not by object <b>1</b> - Category level <b>2</b> - Object level <b>3</b> - Object Detail level
ALLOTMENT OBJECT LEVEL (ALLOT OBJ or AL OBJ)	1	Enter the Allotment Object Level Indicator: (This indicator determines the object posting level in the Allotment File and controls the display in the A-series standard reports.)  <b>0</b> - No allotments by object <b>1</b> - Allotment by category <b>2</b> - Allotment by object <b>3</b> - Allotment by object detail <b>4</b> - Allotment by agency object
ALLOTMENT FILE PROCESS (ALLOT FILE or AL FILE)	1	Enter the Allotment File Processing Indicator to specify year-end processing for allotments:  <b>Blank</b> - Do not carry forward allotment amounts; discontinue posting to prior year allotments. <b>1</b> - Carry forward allotment amounts equal to encumbrance balances remaining at year-end. <b>5</b> - Carry forward allotment amounts equal to the unexpended balance remaining at year end. <b>9</b> - Post inception-to-date and roll allotment encumbrance, expenditure, and balance amounts forward.
CASH CONTROL TYPE (CASH CNTL or CASH)	1	Enter the Cash Control Type Indicator. If the OC Table fund control <b>F40</b> , <b>F41</b> or <b>F42</b> errors (insufficient cash) are set to "Fatal", agencies can still use this field to override the fatal severity for specific Appropriation Symbols. Refer to Vol. 4 for a discussion of the above error codes. The control values are:  <b>0</b> - Do not edit for cash availability (Ignore). <b>1</b> - Edit for cash availability (Fatal). All cash disbursement transactions that exceed the cash balance (insufficient cash) post to the Error File. <b>2</b> - Edit for cash availability (Warning). All cash disbursement transactions that exceed the cash balance (insufficient cash) receive a warning message and post to the update files.

EXHIBIT IV-AS-3  
APPROPRIATION SYMBOL TABLE AND REPORT FIELD DESCRIPTIONS

Data Element	Length	Contents
REVERSION	1	<p>Enter the Reversion Indicator:</p> <p><b>0</b> - Reversion does not apply. The appropriation balance is available in the new year for disbursement of funds previously encumbered or obligated.</p> <p><b>1</b> - Reversion applies. The appropriation balance reverts and is no longer available in the new year. <b>NOTE:</b> The REVERSION DATE must be consistent with this code.</p> <p><b>2</b> - Continuous appropriation. The unexpended balance is available for encumbrances and expenditures in the new year. All associated PA Table records should contain METHOD = <b>4</b>, Carryover.</p> <p><b>9</b> - Continuous appropriation. The unexpended balance is available for encumbrances and expenditures in the new year. All associated PA Table records should contain METHOD = <b>2</b>, Statutory</p>
ACTIVE/INACTIVE (A/I)	1	<p>Enter the code to specify whether the AS is active or inactive:</p> <p><b>0</b> - Active - transactions referencing this AS Table record will post after passing the normal edits.</p> <p><b>1</b> - Inactive - transactions referencing this AS Table record will <b>not</b> post unless the Modifier = <b>I</b> (Ignore) in the transaction (to override an inactive table).</p>
<b><u>THE FIELD BELOW IS DISPLAYED ON THE ENTRY SCREEN AND ON THE CSB940-2 AND CSB940-3 REPORTS:</u></b>		
LAST PROCESSED DATE (LP)	2+2+4	The Last Processed Date is the last date the record was updated by table maintenance. This field is updated when a maintenance transaction is processed. It cannot be altered by the user.
<b><u>THE FIELDS BELOW ARE ONLY DISPLAYED ON THE CSB940-1 AND CSB940-4 REPORTS:</u></b>		
TRANSACTION DATE (TRANS)	2+2+4	The Transaction Date identifies the date the transaction was processed.
TRANSACTION TIME (TRANS)	2+2+2	The Transaction Time identifies the time the transaction was processed.
USER IDENTIFICATION (USERID)	7	The User Identification identifies the Sign-on ID used to input the transaction.

EXHIBIT IV-AS-4

<b>CALSTARS 8</b> <small>(revised 11-17-2005)</small>		<b>APPROPRIATION SYMBOL (AS) TABLE ENTRY FORM</b>		ORG: _____	
PREPARED BY: _____		DATE: _____		ENTERED BY: _____	
DATE: _____					

<b>FUNCTION</b>	<input type="checkbox"/>	(A=Add, C=Change, D=Delete, F=FFY Maint, N=Next, P=Print Table) (R=Recall Maint/Print, U=Gen Record, V= View, W=Print Record)				
FFY	<input type="text"/>	APPN SYMBOL	<input type="text"/>			
TITLE	<input style="width: 100%;" type="text"/>					

---

ACCT TYPE	<input type="text"/>	PROGRAM	<input type="text"/>	ELEMENT	<input type="text"/>	COMP	<input type="text"/>	TASK	<input type="text"/>
CHARACTER	<input type="text"/>	CATEGORY	<input type="text"/>	OBJECT	<input type="text"/>	OBJ DTL	<input type="text"/>	ENACT YR	<input type="text"/>
CHAPTER	<input type="text"/>	REFERENCE	<input type="text"/>	BUD ORG	<input type="text"/>	DISB ORG	<input type="text"/>		

---

**DATES:**

START	<input type="text"/>	<input type="text"/>	<input type="text"/>	ENCUMB AVAIL	<input type="text"/>	<input type="text"/>	<input type="text"/>	REVERSION	<input type="text"/>	<input type="text"/>	<input type="text"/>
-------	----------------------	----------------------	----------------------	--------------	----------------------	----------------------	----------------------	-----------	----------------------	----------------------	----------------------

---

**SCO ACCOUNT:**

FUND	<input type="text"/>	SUB-FUND	<input type="text"/>	ENACT YR	<input type="text"/>	REFERENCE	<input type="text"/>	<input type="text"/>
CATEGORY	<input type="text"/>	PROGRAM	<input type="text"/>	ELEMENT	<input type="text"/>	COMP	<input type="text"/>	
TASK	<input type="text"/>	ACCT TYPE	<input type="text"/>	CNTL TYPE	<input type="text"/>			
REV ACCT	<input type="text"/>	CHAPTER	<input type="text"/>					

---

**INDICATORS:**

APPN CNTL	<input type="text"/>	APPN ORG	<input type="text"/>	APPN PROGRAM	<input type="text"/>
APPN OBJ	<input type="text"/>	ALLOT OBJ	<input type="text"/>	ALLOT FILE	<input type="text"/>
CASH CNTL	<input type="text"/>	REVERSION	<input type="text"/>	ACTIVE/INACTIVE	<input type="text"/>

---

F=FFY MAINT FUNCTION SELECTED, FUNCTION ON FFY MAINT SCREEN  P=PRINT FFY FUNCTION SELECTED, REPORT DESTINATION  ADDITIONAL FFYS TO PRINT _____  R=RECALL MAINT FUNCTION SELECTED, ACTION(S) TO RECALL _____	<div style="margin-bottom: 10px;"> <input type="checkbox"/> (G=Generate FFY, P= Print Table)            (R=Recall Maint/Print, X=Delete FFY)         </div> <div> <input type="checkbox"/> (F=Report File only, P=Printer Output and)            (Report File, O=Overnight Printer Output)         </div>
---	---



## EXHIBIT IV-AS-5

CSB940-1 *****										DEPARTMENT OF AIR QUALITY										*****										ORG NUMBER: 9990																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
07/15/2008 (18:02) *****										CALSTARS										APPROPRIATION SYMBOL (AS)										TABLE ACTIVITY										REPORT										ORG PAGE: 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
FFY AS F										TITLE										ACCT TYPE										PG-EL-CMP-TSK										TRANS DATE										TRANS TIME		USERID																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
----										-----										--										-----										-----										-----		-----																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
										CHAR C-OB-DTL ENY CHAPT REF BUD ORG DISB ORG										START										ENC AVAIL										REVERSION										ERROR MESSAGES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
										-----										-----										-----										-----										-----		-----																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
										SCO ACCOUNT: FUND SUB-FUND ENY										REFERENCE										CAT PG-EL-CMP-TSK										AT CT										REV ACCT										CHAPTER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
										-----										-----										-----										-----										-----		-----																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
										INDICATORS: AP AP AP AP										AL AL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
										CNTL ORG PROG OBJ OBJ FILE										CASH										REVERSION										A/I																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										-										-										-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
2007	001	G	AIR QUALITY										00										10-10-001-001																				07-15-2008 11:54:29 AM		CSFGGRA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			1	2007 BA2007 001 9990										9990										07-01-2007 06-30-2008 06-30-2010																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				0001 2007 001										00 10-10										D C										171/07																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				1	0	1	0	0		0	0	0	0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

CSB940-2 *****										DEPARTMENT OF AIR QUALITY										*****										ORG NUMBER:	9990																																																																														
07/10/2008 (17:59) *****										CALSTARS										APPROPRIATION SYMBOL (AS) TABLE LISTING										REPORT										ORG PAGE:	1																																																																				
FFY AS										TITLE										ACCT TYPE										PG-EL-CMP-TSK										LP DATE										*****										RUN PAGE:	1																																																
----										-----										----										-----										-----										-----										-----										-----																																							
										CHAR	C-OB-DTL		ENY	CHAPT	REF	BUD ORG		DISB ORG		START		ENC		AVAIL		REVERSION																																																																																			
										----	-----		----	-----	----	-----		-----		-----		-----		-----		-----																																																																																			
										SCO ACCOUNT:		FUND	SUB-FUND		ENY	REFERENCE		CAT	PG-EL-CMP-TSK		AT	CT	REV ACCT		CHAPTER																																																																																				
										----	-----		----	-----	----	-----		----	-----		----	----	-----		-----		-----																																																																																		
										INDICATORS:		AP	AP	AP	AP	AL	AL																																																																																												
											CNTL	ORG	PROG	OBJ	OBJ	FILE	CASH	REVERSION		A/I																																																																																									
										----	----	----	----	----	----	----	----	----		----																																																																																									
001 2007										AIR QUALITY																				00										10-10-001-001										06-14-2007																																																											
										1																				1997										BA2007										001										9990										9990										07-01-2007										06-30-2008										06-30-2010									
																				0001																				2007										001																				10-10										D										C										171/07									
																				1										0										1										0										0																				0										0																			
002 2007										AIR QUALITY STANDARDS																				00										10-10-001-005										06-14-2007																																																											
										1																				1997										BA2007										001										9990										9990										07-01-2007										06-30-2008										06-30-2010									
																				0001																				2007										001																				10-10										D										C										171/07									
																				1										0										1										0										0																				0										0																			

## EXHIBIT IV-AS-5

CSB940-3 *****													
DEPARTMENT OF AIR QUALITY										*****			
CALSTARS										ORG NUMBER: 9990			
APPROPRIATION SYMBOL (AS) DELETE FFY 2001										REPORT			
03/14/2005 (17:57) *****										ORG PAGE: 1			
FFY AS TITLE ACCT TYPE PG-EL-CMP-TSK LP DATE										RUN PAGE: 7			
----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHAR	C-OB-DTL	ENY	CHAPT	REF	BUD ORG	DISB ORG	START	ENC	AVAIL	REVERSION			
----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SCO ACCOUNT:	FUND	SUB-FUND	ENY	REFERENCE	CAT	PG-EL-CMP-TSK	AT	CT	REV	ACCT	CHAPT		
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
INDICATORS:	AP	AP	AP	AP	AL	AL							
	CNTL	ORG	PROG	OBJ	OBJ	FILE	CASH	REVERSION	A/I				
----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2001	091	CENTRAL VALLEY AIR QUALITY STUDIES					00	10-10-010-101	06-14-2005				
	1	1999 BA1999	201	9990				07-01-1999	06-30-2000	06-30-2002			
		0001	1999	201	00	10-10		D		357/99			
		0	0	2	0	0	0	0	0				
2001	092	TAHOE BASIN AIR QUALITY STUDIES					00	10-10-001-005	06-14-2005				
	1	2005 BA2005	001	9990				07-01-1999	06-30-2000	06-30-2002			
		0001	1999	211	00	10-10		D		357/99			
		0	0	2	0	0	0	0	0				

CSB940-4 *****													
DEPARTMENT OF AIR QUALITY										*****			
CALSTARS										ORG NUMBER: 9990			
APPROPRIATION SYMBOL (AS) TABLE UPLOAD ACTIVITY										REPORT			
03/14/2005 (17:57) *****										ORG PAGE: 1			
FFY AS F TITLE ACCT TYPE PG-EL-CMP-TSK										RUN PAGE: 7			
----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHAR	C-OB-DTL	ENY	CHAPT	REF	BUD ORG	DISB ORG	START	ENC	AVAIL	REVERSION	ERROR MESSAGES		
----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SCO ACCOUNT:	FUND	SUB-FUND	ENY	REFERENCE	CAT	PG-EL-CMP-TSK	AT	CT	REV	ACCT	CHAPTER		
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
INDICATORS:	AP	AP	AP	AP	AL	AL							
	CNTL	ORG	PROG	OBJ	OBJ	FILE	CASH	REVERSION	A/I				
----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2005	001	A	AIR QUALITY				00	10-10-001-001			06-14-2005 03:04:55 PM	CSCSJMH	
	1		2005 BA2005	001	9990								
			0001	2005	001	00	10-10		D	357/05			
			0	0	2	0	0	0	0				
2005	002	A	AIR QUALITY STANDARDS				00	10-10-001-005			06-14-2005 03:05:34 PM	CSCSJMH	
	1		2005 BA2005	001	9990								
			0001	2005	001	00	10-10		D	357/05			
			0	0	2	0	0	0	0				